

**HAVILAND CONSUMER PRODUCTS, INC**  
**SAFETY DATA SHEET**



**Section 1: Identification**

Product Name: Proteam Prevent    Product Code: C003036

Haviland Consumer Products, Inc.  
421 Ann Street NW  
Grand Rapids, MI 49504  
(616) 361-6691

**Emergency Phone:**

CHEMTREC: Canada and USA - (800) 424-9300  
CHEMTREC: In Mexico - 01-800-681-9531

Product Use: Pool and Spa

Not recommended for: NA

**Section 2: Hazard(s) Identification**

**GHS Ratings:**

Flammable liquid	3	Flash point $\geq 23^{\circ}\text{C}$ and $\leq 60^{\circ}\text{C}$ (140°F)
Oral Toxicity	Acute Tox. 4	Oral $>300$ and $\leq 2000$ mg/kg
Skin corrosive	1B	Destruction of dermal tissue: Exposure $< 1$ hour Observation $< 14$ days, visible necrosis in at least one animal
Eye corrosive	1	Serious eye damage: Irreversible damage 21 days after exposure, Draize score: Corneal opacity $\geq 3$ , Iritis $> 1.5$

**GHS Hazards**

H226	Flammable liquid and vapour
H302	Harmful if swallowed
H314	Causes severe skin burns and eye damage
H318	Causes serious eye damage

**GHS Precautions**

P210	Keep away from heat/sparks/open flames/hot surfaces – No smoking
P233	Keep container tightly closed
P240	Ground/bond container and receiving equipment
P241	Use explosion-proof electrical/ventilating/light/equipment
P242	Use only non-sparking tools
P243	Take precautionary measures against static discharge
P260	Do not breathe dust/fume/gas/mist/vapors/spray
P264	Wash face, hands, and any exposed skin thoroughly after handling
P270	Do not eat, drink or smoke when using this product
P280	Wear protective gloves/protective clothing/eye protection/face protection
P310	Immediately call a POISON CENTER or doctor/physician
P321	Specific treatment (see first aid treatment on SDS)
P330	Rinse mouth
P363	Wash contaminated clothing before reuse

P301+P312	IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell
P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting
P303+P361+P353	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
P304+P340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing
P370+P378	In case of fire: Use suitable media for extinction
P405	Store locked up
P403+P235	Store in a well ventilated place. Keep cool
P501	Dispose of contents/container in accordance with local/regional/national/international regulations

**Danger**



**Section 3: Composition/Information on Ingredients**

Chemical Name / CAS No.	OSHA Exposure Limits	ACGIH Exposure Limits	Other Exposure Limits
Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides 68424-85-1 40 to 50%			
Trade Secret 1 to 5%	1000 ppm TWA; 1900 mg/m <sup>3</sup> TWA	1000 ppm STEL	NIOSH: 1000 ppm TWA; 1900 mg/m <sup>3</sup> TWA

**Section 4: First-aid Measures**

**Inhalation**

Rescuers should put on appropriate protective gear. Remove from area of exposure. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Keep victim warm. Get immediate medical attention. To prevent aspiration, keep head below knees.

**Eye Contact**

Immediately flush eyes with water. Flush eyes with water for a minimum of 15 minutes, occasionally lifting and lowering upper lids. Get medical attention promptly.

**Skin Contact**

Remove contaminated clothing. Wash skin with soap and water. Get medical attention. Wash clothing

separately and clean shoes before reuse.

**Ingestion**

If swallowed, do NOT induce vomiting. Give victim a glass of water. Call a physician or poison controlcenter immediately. Never give anything by mouth to an unconscious person.

**Section 5: Fire-fighting Measures**

**Extinguishing Media**

Water spray, foam, carbon dioxide, dry chemical

**Specific Hazards Arising from the Chemical**

Can form combustible mixtures at temperatures at or above the flash point. Toxic gases will form upon combustion. Material can accumulate static charges which can cause an incendiary electrical discharge.

**Special Protective Equipment and Precautions for Firefighters**

**Special Information:** As in any fire, wear self-contained breathing apparatus pressure-demand (MSHA/NIOSH approved or equivalent) and full protective gear.

**Section 6: Accidental Release Measures**

**Spill and Leak Procedures**

Eliminate all sources of ignition. Prevent entry into waterways, sewers, or confined areas. Absorb or cover with dry earth, sand or other non-combustible material and transfer to appropriate containers. Use clean non-sparking tools to collect absorbed material.

**Section 7: Handling and Storage**

**HANDLING:** Use only in a well ventilated area. Avoid breathing vapor, fumes or mist. Avoid contact with eyes, skin, and clothing. Ground and bond containers when transferring material. Always open containers slowly to allow any excess pressure to vent. Follow all SDS/label precautions even after containers are emptied because they may retain product residues.

**Pesticide Storage:** Store in original containers and place in locked storage area inaccessible to children and individuals unfamiliar with its use. Keep from freezing.

**Section 8: Exposure Control/Personal Protection**

Chemical Name / CAS No.	OSHA Exposure Limits	ACGIH Exposure Limits	Other Exposure Limits
Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides 68424-85-1			
Trade Secret N/A	1000 ppm TWA; 1900 mg/m3 TWA	1000 ppm STEL	NIOSH: 1000 ppm TWA; 1900 mg/m3 TWA

**RESPIRATORY PROTECTION:** A respiratory protection program that meets OSHA 1910.134 and ANSI Z88.2 requirements must be followed whenever workplace conditions warrant the use of a respirator.

**SKIN PROTECTION:** Wear impervious protective gloves. Wear protective gear as needed - apron, suit, boots.

**EYE PROTECTION:** Wear safety glasses with side shields (or goggles) and a face shield.

**OTHER PROTECTIVE EQUIPMENT:** Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.

**HYGENIC PRACTICES:** Do not eat, drink, or smoke in areas where this material is used. Avoid breathing vapors. Remove contaminated clothing and wash before reuse. Wash thoroughly after handling. Wash hands before eating.

**Section 9: Physical and Chemical Properties**

<p><b>Appearance:</b> Clear blue liquid</p> <p><b>Vapor Pressure:</b> ~ 44mm Hg @ 68°F</p> <p><b>Vapor Density:</b> Unknown</p> <p><b>Density:</b> Unknown</p> <p><b>Freezing point:</b> Unknown</p> <p><b>Boiling range:</b> Unknown</p> <p><b>Evaporation rate:</b> Unknown</p> <p><b>Explosive Limits:</b> Unknown</p> <p><b>Autoignition temperature:</b> Unknown</p> <p><b>Viscosity:</b> Unknown</p>	<p><b>Odor:</b> Slight aromatic odor</p> <p><b>Odor threshold:</b> Unknown</p> <p><b>pH:</b> 6 - 8 (10% solution)</p> <p><b>Melting point:</b> Unknown</p> <p><b>Solubility:</b> Complete</p> <p><b>Flash point:</b> Unknown</p> <p><b>Flammability:</b> Unknown</p> <p><b>Specific Gravity</b> 0.965</p> <p><b>Decomposition temperature:</b> Unknown</p> <p><b>Grams VOC less water:</b> Unknown</p>
--	--

**Section 10: Stability and Reactivity**

**Chemical Stability:**

STABLE

**Incompatible Materials**

Strong oxidizing agents. Avoid contact with reducing agents.

**Conditions to Avoid**

Keep away from excessive heat and incompatible materials. Avoid freezing.

**Hazardous Decomposition Products**

Carbon monoxide, carbon dioxide, and toxic hydrogen chloride vapors.

**Hazardous Polymerization**

Hazardous polymerization will not occur.

**Section 11: Toxicology Information**

**Mixture Toxicity**

Inhalation Toxicity LC50: 2,494mg/L

**Routes of Entry:**

- Inhalation
- Ingestion
- Skin contact
- Eye contact

**Blood    Eyes    Liver    Central Nervous System    Reproductive System    Skin**  
**Respiratory System**

**Effects of Overexposure**

**Emergency Overview**

Corrosive to eyes and skin. Harmful if swallowed. Inhalation may cause damage to the upper respiratory tract.

**Acute Health Effects**

This product is severely irritating to the eyes and may cause irreversible damage including burns and blindness. Corrosive to the skin. This product may produce corrosive damage to the gastrointestinal tract if it is swallowed. Inhalation of mists of this product may cause severe irritation and burns to the respiratory tract.

<u>CAS Number</u>	<u>Description</u>	<u>% Weight</u>	<u>Carcinogen Rating</u>
64-17-5	Trade Secret	1 to 5%	Trade Secret: IARC: Human carcinogen OSHA: listed

<b>Section 12: Ecological Information</b>
---

**Component Ecotoxicity**

Trade Secret

96 Hr LC50 Oncorhynchus mykiss: 12.0 - 16.0 mL/L [static]; 96 Hr LC50 Pimephales promelas: >100 mg/L [static]; 96 Hr LC50 Pimephales promelas: 13400 - 15100 mg/L [flow-through]  
48 Hr LC50 Daphnia magna: 9268 - 14221 mg/L; 48 Hr EC50 Daphnia magna: 2 mg/L [Static]

<b>Section 13: Disposal Considerations</b>
--

**Pesticide Disposal:** Pesticide wastes may be hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

**Container Disposal:** Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available. Triple rinse (or equivalent) promptly after emptying.

<b>Section 14: Transportation Informations</b>
--

**UN Code:** UN2920 **Proper Shipping Name:** Corrosive Liquid, flammable N.O.S.(Quaternary Ammonium Compound, ethanol)

**Hazard Class:** 8, (3) **Package Group:** II

<b>Section 15: Regulatory Information</b>
---

EPA Reg. No. 57787-7

**FIFRA information:**

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

**DANGER****Corrosive.**

Causes irreversible eye damage and skin burns.  
Do not get in eyes, on skin, or on clothing.  
Harmful if swallowed.  
This product is toxic to fish and aquatic organisms

<u>Country</u>	<u>Regulation</u>	<u>All Components Listed</u>
----------------	-------------------	------------------------------

Date Prepared: 2/04/2020

**Disclaimer**

The information herein is believed to be correct, but does not claim to be all inclusive and should be used only as a guide. Neither the above named supplier nor any of its affiliates or subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All chemical reagents must be handled with the recognition that their chemical, physiological, toxicological, and hazardous properties have not been fully investigated or determined. All chemical reagents should be handled only by individuals who are familiar with their potential hazards and who have been fully trained in proper safety, laboratory, and chemical handling procedures. Although certain hazards are described herein, we can not guarantee that these are the only hazards which exist. Our SDS are based only on data available at the time of shipping and are subject to change without notice as new information is obtained. Avoid long storage periods since the product is subject to degradation with age and may become more dangerous or hazardous. It is the responsibility of the user to request updated SDS for products that are stored for extended periods. Disposal of unused product must be undertaken by qualified personnel who are knowledgeable in all applicable regulations and follow all pertinent safety precautions including the use of appropriate protective equipment (e.g. protective goggles, protective clothing, breathing equipment, face mask, fume hood). For proper handling and disposal, always comply with federal, state and local regulations.